

Merrill, C. H.

Measurement of small mammals.

(1889)

HARVARD UNIVERSITY.



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOOLOGY

42,234

GIFT OF

Author.

March 25, 1915.

MAR 26 1915
42239

17a-1

U. S. DEPARTMENT OF AGRICULTURE.

DIVISION OF ECONOMIC ORNITHOLOGY AND MAMMALOLOGY.

Circular No. 11.

BRIEF DIRECTIONS

FOR THE

MEASUREMENT OF SMALL MAMMALS

LIBRARY
U. S. DEPT. OF AGRICULTURE
DIVISION OF ECONOMIC ZOOLOGY,
CAMBRIDGE, MASS.

AND THE

PREPARATION OF MUSEUM SKINS.

BY DR. C. HART MERRIAM,
CHIEF OF DIVISION OF ORNITHOLOGY AND MAMMALOLOGY.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1889.

CAMBRIDGE MASS.
THE COMP. ZOOLOGY
LIBRARY

MAR 25 1915




FIG. 2.




FIG. 4.




FIG. 1.




FIG. 3.

Dr. JAMES MERRILL, F.R.S.E.,
 27, Tavistock Square, London, W.C.
 Tammie Shaw's
 No. 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

U. S. DEPARTMENT OF AGRICULTURE.

DIVISION OF ECONOMIC ORNITHOLOGY AND MAMMALOLOGY.

Circular No. 11.

BRIEF DIRECTIONS

FOR THE

MEASUREMENT OF SMALL MAMMALS

AND THE

PREPARATION OF MUSEUM SKINS.

BY DR. C. HART MERRIAM,
CHIEF OF DIVISION OF ORNITHOLOGY AND MAMMALOLOGY.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1889.



BRIEF DIRECTIONS FOR THE MEASUREMENT OF SMALL MAMMALS AND THE PREPARATION OF MUSEUM SKINS.

By Dr. C. HART MERRIAM.

DIRECTIONS FOR MEASUREMENT.

The tools necessary for measuring mammals are a pair of compasses or dividers, a steel rule graduated in millimeters, and two large pins. Dividers with round points are better than those with triangular points.

All measurements should give the distance *in a straight line* between the points indicated. They should be taken by means of dividers, or by driving pins into a board to mark the points between which the measurement is desired. They should never be made with a tape-line over the convexities or inequalities of the surface.

The three most important measurements, and those which should always be taken in the flesh, are: (1) *total length*; (2) *length of tail*; (3) *length of hind foot*.

(1) The **TOTAL LENGTH** is the distance between the tip of the nose and the end of the tail vertebræ. It is taken by laying the animal on a board, with its nose against a pin or upright post, and by straightening the back and tail by extending the hind legs with one hand while holding the head with the other; a pin is then driven into the board at the end of the vertebræ. (See Fig. 2.)

(2) The **LENGTH OF TAIL** is the length of the caudal vertebræ. It is taken by erecting the tail at right angle to the back, and placing one point of the dividers on the backbone at the very root of the tail, the other at the tip end of the vertebræ. (See Fig. 3.)

(3) The **HIND FOOT** is measured by placing one point of the dividers against the end of the heel (*calcaneum*), the other at the tip of the longest claw, the foot being flattened for this purpose. (See Fig. 4.)

DIRECTIONS FOR THE PREPARATION OF SKINS.

Skin all mammals as soon as possible after death.

Lay the animal on its back, and make an incision along the middle of the belly from just behind the fore legs nearly to the vent. Be careful not to stretch the skin while removing it, and exercise great cau-

tion in skinning around the eyes and lips, which parts are easily cut. Skin as far down on the feet as possible, but leave in the bones of the legs. Remove the bone from the tail by pulling it between the fingers (in the larger species a split stick answers well). Take out the skull, being careful not to cut or injure it in any way, and wash out the brains by means of a syringe or jet of water. Remove the tongue, and cut off the thick flesh from the sides and base of the skull. Tie a tag to the skull, bearing the same number that is attached to the skin, and dry in the shade. In damp weather it is sometimes necessary to use powdered borax to prevent the remaining flesh from decomposing. Never put arsenic or salt on a skull.

Remove all fat and tags of flesh that adhere to the skin. In cleaning off blood or dirt that may have soiled the hair, an old tooth-brush and a liberal supply of corn-meal will be found serviceable.

Poison all parts of the skin with dry arsenic (or, better still, with a mixture of powdered arsenic and alum in the proportion of four parts arsenic to one part alum), being particular to put an extra supply in the feet and tail. Put a wire in the body, letting it extend to the extreme tip of the tail, but be careful not to stretch the tail. Use annealed iron wire of as large size as will fit easily into the tip end of the tail. In rabbits, foxes, and wild-cats put wires in the legs also.


Stuff the skin to nearly its natural size with cotton or tow (never use wool, feathers, or other animal substances); sew it up along the belly, and place it flat on a board to dry (belly down), with the fore legs extended in front and parallel to the body (*i. e.*, not projecting out sideways), and the hind legs and tail directed backward. The accompanying cut (Fig. 1) shows the appearance of a well-made skin.

Attach to each skin a label bearing the same number that is given the skull. On this label should be stated the sex, locality, date of capture (name of *month* should always be written in full), and name of collector.

All skins should be thoroughly dry before they are packed for shipment. They should be carefully wrapped in cotton and packed in small wooden boxes. Cigar-boxes do very well for the smaller species.

WASHINGTON, D. C., *March*, 1889.







Gaylord Bros.
Makers
Syracuse, N. Y.
PAT. JAN. 21, 1908

MCZ ERNST MAYR LIBRARY

3 2044 128 408

